

City of Coquitlam

Request for Proposals

RFP No. 26-001

Supply and Delivery Auto Extrication
Equipment (2 sets)

TABLE OF CONTENTS

1. KEY DATES3

2. PROCUREMENT REQUIREMENTS, GUIDELINES, AND TERMS & CONDITIONS3

DEFINITIONS4

3. INSTRUCTIONS TO PROPONENTS5

 3.1. Acknowledgement 5

 3.2. Purpose 5

 3.3. Proposal Submission 5

 3.4. Prices 5

 3.5. Requested Departures 5

 3.6. Evaluation Criteria 6

 3.7. Warranties 8

 3.8. Specifications and Alternatives 8

4. SCOPE OF SERVICES8

 4.1. Scope 8

 4.2. General Tool Requirements 9

 4.3. Required Accessories and Mounting Equipment 9

 4.4. Optional Trade-in Equipment 10

 4.5. Demonstrations 10

 4.6. Standards and Workmanship 11

 4.7. Manufacturer-Authorized 11

 4.8. Training 11

 4.9. Documentation at Time of Delivery 11

 4.10. Warranties 12

 4.11. Recall Notices 12

Appendix A – Technical Specifications

[PROPOSAL SUBMISSION FORM](#)

1. **KEY DATES**

| | |
|---|---|
| RFP Issue Date | Friday, March 13, 2026 |
| Trade In Viewing Date | Monday, March 16, 2026 10:00 AM 1300 Pinetree Way, Coquitlam |
| Demonstration Day | Tuesday, April 7, 2026 775 Mariner Way, Coquitlam |
| Deadline for Questions Send questions to: bid@coquitlam.ca referencing the RFP name and number. | 12:00 PM (local time) Wednesday, March 25, 2026 |
| Submission Deadline | 2:00 PM (local time) Thursday, April 2, 2026 |

2. **PROCUREMENT REQUIREMENTS, GUIDELINES, AND TERMS & CONDITIONS**

All applicable requirements, guidelines, and terms and conditions for City procurement processes including, but not limited to, RFPs, RFIQs, and RFIs etc. are available on the City's website under [City Purchasing Information](#).

To be eligible for the award, the City requires only the successful Proponent to agree to and have the following in place *before* providing any Goods or Services. The applicable requirements to this process are:

- a) Instructions to Proponents
- b) City Standard Terms and Conditions - Purchase of Goods and Services

DEFINITIONS

“Agreement” “Contract” means the contract for services or City Purchase Order that will be issued to formalize with the successful Proponent through negotiation process with the City based on the proposal submitted and will incorporate by reference the Request for Proposals, Specifications, Drawings, any additional subsequent information, any addenda issued, the Proponent’s response and acceptance by the City.

“City” “Owner” means City of Coquitlam;

“Contractor” means the person(s) firm(s) or corporation(s) appointed by the City to carry out all duties, obligations, work and services described in the Request for Proposal and all associated documentation, which may also include mutually agreed revisions subsequent to submission of a Proposal. Both “Contractor” and “Proponent” are complementary in terms of duties, obligations and responsibilities contemplated at the Request for Proposals stage, through evaluation process, execution and performance of the services and Works.

“Price” means the amount that will be paid by the City to the Contractor for delivery and acceptance of goods and Services;

“Proponent” means responder to this Request for Proposals;

“Proposal” means the submission by the Proponent;

“Request for Proposals” “RFP” shall mean and include the complete set of documents, specifications and addenda incorporated herein, and included in this Request for Proposals;

“Services” “Work” “Works” means and includes the provision by the successful Proponent of all services, duties, and expectations as further described in this RFP. This will also mean the whole of the Work, tools, materials, labour, equipment, travel, and all that is required to be done, furnished and performed by the Contractor;

“Shall” “Must” “Will” “Mandatory” means a requirement that must be met;

“Supply” “Provide” shall mean supply and pay for and provide and pay for.

3. INSTRUCTIONS TO PROPONENTS

3.1. Acknowledgement

The City acknowledges with gratitude and respect that the name Coquitlam was derived from the hə́hə́míhə́m (HUN-kuh-MEE-num) word kʷíkʷə́lə́m (kwee-KWET-lum) meaning “Red Fish Up the River”. The City is honoured to be located on the kʷíkʷə́lə́m traditional and ancestral lands, including those parts that were historically shared with the ǵíćə́y (kat-zee), and other Coast Salish Peoples.

3.2. Purpose

The City of Coquitlam requests Proposals from professional, qualified, experienced companies to **Supply and Delivery Auto Extrication Equipment (2 sets)**. Refer to **Section 3, Scope of Services** for further details. Equipment shall be new and that which has never been owned except by a manufacturer or distributor.

3.3. Proposal Submission

Proponents should complete and submit the information requested in this RFP document on the Proposal Submission Form or in a format that has been approved and is acceptable to the City.

3.4. Prices

Prices shall be all-inclusive and stated in (Canadian Funds). Prices shall remain FIRM until delivery.

Prices shall include the provision of all tools, materials, equipment, labour, transportation, fuel, supervision, management, overhead, materials, traffic control, services, all necessary packing and crating (where applicable), Canadian Customs import and export duties, freight, handling, insurance, all other associated or related charges, foreign, federal, provincial and municipal taxes, bonding costs, all licences, permits, inspections and all other requirements necessary for the commencement, performance and completion of Services as described.

Taxes are to be shown separately at time of invoicing.

The lowest price of any Proposal will not necessarily be accepted but will be analyzed to determine best overall value.

3.5. Requested Departures

The Proponent acknowledges that the departures requested in the Proposal Submission Form will not form part of the Contract unless and until the City specifically consents in writing to any of them. The City may not consider any departures not stated in the Proponent’s Proposal Submission.

3.6. Evaluation Criteria

a) Instructions for Proposal Submission and Attachment Referencing

The City uses Microsoft Word to streamline the transfer of Proponent information into an evaluation document. Responses on the Proposal Submission Form should provide direct answers or concise summaries of any referenced attachments. Where attachments are necessary, each response should summarize the relevant information and clearly indicate where the City can find the corresponding details within the attachments, specifying precisely, for example, "see Section X, subsection Y, paragraph Z, on page N."

b) Submission Format and Content Authenticity

Lower scores may be assigned if Proposal Submission Forms:

I. Non-conforming

- Are not submitted in Microsoft Word format.
- Rely solely on references such as "see section X in the attached document" without providing summaries.

II. Authenticity

- The City preference is for Proposals to be original and directly aligned with the requirements outlined in this RFP. Proposals will be evaluated on specificity and relevance of content. Proposals containing generic, boilerplate, non-responsive content may receive a lower score.
- Proponents must demonstrate a clear understanding of the City's needs by providing detailed, tailored responses, including methodologies. Proposals lacking sufficient detail and originality may result in a lower evaluation score.

c) Evaluation Criteria and Points Allocation

Each proposal will be evaluated based on the following criteria:

| Proposal Evaluation Summary | Maximum Points to be Awarded |
|--|------------------------------|
| Corporate | 35 |
| Sustainable Benefits and Social Responsibility | 5 |
| Technical and Demonstrations | 35 |
| Financial | 25 |
| Total | 100 |

The criteria for evaluation of the Proposals may include, but is not limited to:

Corporate Experience, Capacity and Resources

- Business and technical reputation and capabilities; experience, financial stability, capacity and resources
- Value added benefits
- References
- Manufacture authorization

Sustainable Benefits and Social Responsibility

- Sustainable benefits
- Reconciliation
- Social Responsibility

Technical

- Delivery Lead Time & Warranties
- Maintenance - Local support and parts availability in Metro Vancouver area
- Compliance with the preferred specifications
- Ease of operation
- Quality Assurance & Maintenance requirements
- Training
- Opportunity for top-ranked Proponents to demonstrate their proposed equipment on date stated in **Key Dates Section 1**

Financial

- Price
- Trade in value

These criteria will be used to determine best overall value to the City. Proposals will be compared to select one or more that are most advantageous.

And, upon selection of one or more lead Proponent(s):

- References may be contacted
- Interviews may be conducted

The City reserves the right to check references on other projects even if they are not specifically listed. Information obtained from references will be confidential and will not be disclosed to any Proponents.

These criteria will be used to determine best overall value to the City as well as any other criteria that may become evident during the evaluation process.

The City may, at its discretion, request clarification or additional information from a Proponent with respect to any Proposal and the City may make such requests to only selected Proponents. The City may consider such clarifications or additional information in evaluating a Proposal.

Incomplete Proposals or Proposals submitted on forms other than the Proposal Form may be rejected.

Proponents agree the City may disclose names of Proponents and total award amount, however, unevaluated results, unit prices, rates or scores will not be provided to any Proponents.

The City reserves the right to reject without further consideration any Proposal which in its opinion does not meet the criteria it considers essential for the Work outlined in this RFP.

Where only one Proposal is received, the City may reject such and re-issue the RFP on a selected basis.

3.7. Warranties

The Proponent shall provide a full statement of the warranty period and terms, including extended warranty options, for items listed as a minimum. This warranty should clearly describe the terms under which the equipment manufacturer or sub-suppliers of the manufacturer accept responsibility for the cost to repair defects caused by faulty design, quality of work or material and for the applicable period of time after delivery.

3.8. Specifications and Alternatives

Wherever the Specifications state a brand name, make, name or manufacturer, trade name, or Supplier catalogue number, it is for the purpose of establishing a grade or standard. It is not intended to rule out competition from equal brands or makes. If goods other than that specified is offered, it is the Proponent's responsibility to provide information in its Proposal that enables the City to confirm equivalency and acceptance.

If the Proponent cannot meet Specifications, the Proponent may identify and offer an alternative which it believes to be an equal or better alternative.

Proponents shall clearly indicate any variances from the City's Specifications or conditions and attach descriptive literature

4. SCOPE OF SERVICES

4.1. Scope

The City invites Proposals from qualified and experienced Proponents for the supply and delivery of battery-operated auto extrication equipment consisting of two (2) complete tool sets for use by the City's Fire Rescue Services.

The equipment must be suitable for emergency vehicle rescue operations and designed for reliable performance in demanding field conditions. The tools will be used for cutting, spreading, pulling, and lifting operations during vehicle extrication.

The successful Proponent will be responsible for:

- Supply of all tools and accessories identified in this RFP
- Delivery of equipment to the City
- Provision of compatible batteries and charging systems
- Provision of mounting hardware for installation in emergency vehicles
- Demonstration of equipment if requested by the City

All equipment supplied must comply with applicable Canadian and British Columbia safety regulations.

For further details, refer to **Appendix A – Technical Specifications**.

4.2. General Tool Requirements

All tools supplied under this RFP must meet the following minimum requirements:

- All tools must be battery operated
- All tools must be equipped with a Deadman control mechanism
- The control handle must allow variable speed control during operation
- Tools and batteries must be suitable for underwater use
- Chargers must provide battery health indication
- Chargers must be capable of charging spare batteries and be suitable for vehicle mounting

Preferred features include:

- Automatic motor start/stop to conserve battery capacity when the tool is not operating
- Integrated temperature management system to prevent overheating during intensive use
- On-tool charging capability with quick connection system
- Ability to connect multiple AC battery chargers in sequence from a single outlet

4.3. Required Accessories and Mounting Equipment

The successful Proponent must supply the following accessories and mounting hardware as part of the equipment package:

- Two (2) batteries for each tool supplied
- Chargers capable of being mounted in emergency vehicles to charge spare batteries
- Tethers capable of charging batteries while attached to tools, where applicable
- Small ram extension pipe with automatic locking system
- Large ram extension pipe with automatic locking system
- Set of two (2) cross-ram supports to provide a stable base during cross-ramming operations and prevent the ram from pushing through vehicle construction
- Ram support for use on the rocker channel and B-pillar of a vehicle to provide a stable platform for ram placement

The successful Proponent must also provide mounting hardware suitable for securing all tools within emergency vehicle compartments, including:

- Two (2) vertical ram mounts

- One (1) vertical small spreader mount
- One (1) vertical combi tool mount
- One (1) horizontal cutter mount
- One (1) horizontal large spreader mount

4.4. Optional Trade-in Equipment

The City offers the following equipment for optional trade-in consideration. The viewing date is scheduled as identified in the Key Dates section:

- Holmatro Cutter 4050NCT Core (2 units)
- Holmatro Spreader 4240 Core (2 units) with two (2) sets of pulling adaptors
- Holmatro Spreader 4260 Core (2 units)
- Holmatro Ram 4340 Core (2 units)
- Holmatro Ram 4350 Core (2 units)
- Holmatro Ram 4322 Core (2 units)
- Holmatro Ram 4332 Core (2 units)
- Holmatro Pump SR40PC2 (2 units)
- Genesis Battery Combi E-Force 17C (2 units) with two (2) sets of pulling adaptors
- Core hoses (8 units)

The equipment listed above is offered for trade-in consideration only and is provided on an as-is, where-is basis. The City makes no representation or warranty as to the condition of the equipment. Proponents are responsible for determining any trade-in value in their Proposal.

4.5. Demonstrations

The City may invite one or more top-ranked Proponents to provide a demonstration of their proposed equipment. Demonstrations may be used by the City to verify compliance with the requirements of this RFP and to evaluate the performance, functionality, and suitability of the equipment.

Proponents invited to participate in a demonstration must make the proposed equipment available for testing by City personnel at the date and time identified in the Key Dates section. The City may request that the equipment be operated under normal working conditions to allow City staff to assess usability, safety, and operational performance.

All costs associated with preparing, transporting, and conducting the demonstration will be the responsibility of the Proponent.

Participation in a demonstration does not constitute acceptance of the equipment or guarantee of award.

4.6. Standards and Workmanship

Contractor shall comply with the latest Canadian Electrical code, including all provincial and other amendments, and local by-laws. When multiple codes and/or regulations apply, follow the most stringent provision.

- National Fire Protection Association (NFPA) 1936;
- Canadian Electrical Code;
- BC Electrical Safety Act;
- Worker's Compensation Act;

Materials are to bear the approval of the Canadian Standards Association (CSA) and/or Underwriters Laboratories® approval Canadian Standards designation (ULC). Approvals other than these must meet and be approved for use and installation by local inspection authorities. Contractor shall be responsible for all costs associated with obtaining local approvals.

4.7. Manufacturer-Authorized

Contractor must be authorized by the manufacturer to sell equipment where such authorization is granted by the manufacturer. The relationship with the manufacturer must be direct and not indirect through a third party.

4.8. Training

The Contractor shall provide instruction on the adjustment, operation of the product model provided. All training equipment and material shall be provided by the Contractor.

Training shall be scheduled within seven (7) days of delivery. The training shall be provided during the City's regular working hours.

Training to include not only the operation of the units delivered but also the maintenance requirements to maintain the provided units to manufacture standards.

4.9. Documentation at Time of Delivery

The Supplier is to provide the following documentation upon delivery with each piece of equipment:

| Quantity | Description |
|----------|---|
| 1 | Warranty document and certifications |
| 1 set | One complete Service Manual |
| 1 set | One Parts Manual covering all equipment proposed |
| 1 set | One complete Repair Manual |
| 2 sets | 2 sets operators manuals |
| | |

4.10. Warranties

The Supplier agrees to repair or replace any faulty equipment and that any defects discovered and failures which occur during the guarantee period will be rectified to the satisfaction of the City within a reasonable amount of time at no cost to the City.

4.11. Recall Notices

In the event of any recall notice, technical service bulletin, or other important notification affecting a unit purchased under this Contract, a notice shall be sent to the City. It shall be the responsibility of the Supplier to assure that all recall notices are sent directly to the Coquitlam Fire Department.



City of Coquitlam

PROPOSAL SUBMISSION FORM

RFP No. 26-001

Supply and Delivery Auto Extrication Equipment (2 sets)

Proposals will be received as per date and time in [Key Dates Section](#)

INSTRUCTIONS FOR PROPOSAL SUBMISSION

Proposal submissions are to be returned in Microsoft Word and any other supporting documents consolidated into one PDF file and submitted by email.

1. In the subject line enter: RFP Number and Name
2. Email the submission to: bid@coquitlam.ca

Proposals must be received at the above email address **no later than 2:00 PM (local time), as recorded by the City's email system** on the Closing Date.

Proponents are responsible to allow ample time to complete the Proposal submission process prior to the closing date and time. Late submissions will not be accepted. If assistance is required phone 604-927-3037.

The City may acknowledge receipt of Proposals submitted by email.

| | |
|---------------------------------|--|
| Legal Name of Proponent | |
| Contact Person and Title | |
| Business Address | |
| Telephone | |
| Email Address | |

1.

DEPARTURES

a) CONTRACT - I/We have reviewed the City's **Standard Terms and Conditions - Purchase of Goods and Services** (per Section 2 of the RFP) and would be prepared to enter into an agreement that incorporates the City's Standard Terms and Conditions, amended by the following departures (list, if any):

| Section | Requested Departure(s) / Alternative(s) |
|---------|---|
| | |

b) SERVICES - I/We have reviewed the Scope of Services as described in this RFP and are prepared to meet those requirements, amended by the following departures and additions (list, if any):

| Requirements - Requested Departure(s) / Alternate(s) / Addition(s) |
|--|
| |

2.

CORPORATE

| | |
|---|---|
| a) CAPABILITIES, CAPACITY AND RESOURCES - Proponents to provide information on the following (use the spaces provided and/or attach additional pages, if necessary): | |
| i. | Structure of the Proponent, background, how many years they have been in business and organizational history (e.g. mission, vision, corporate directions, years in business, etc.): |
| | |
| ii. | Proponent is to state relevant experience and qualifications as to the Services requested in the RFP: |
| | |
| iii. | Proponent is to state any value added benefits and activities they can provide in delivering the Services. Provide details: |
| | |

| | |
|---|----------------|
| b) REFERENCES – Proponent shall be competent and capable of performing the Services requested and successfully delivered service contracts of similar size, scope and complexity. The City reserves the right to contact any person(s), agency(ies) or firm(s) not listed as part of an independent review (use the spaces provided and/or attach additional pages, if | |
| Reference No. 1 | |
| Description of Contract | |
| Size and Scope | |
| Work Performed | |
| Start Date | |
| End Date | |
| Contract Value | |
| Project completed on budget | |
| Project completed on schedule | |
| Reference Information | Company |
| | Name: |
| | Phone Number: |
| | Email Address: |

| Reference No. 2 | |
|--------------------------------------|----------------|
| Description of Contract | |
| Size and Scope | |
| Work Performed | |
| Start Date | |
| End Date | |
| Contract Value | |
| Project completed on budget | |
| Project completed on schedule | |
| Reference Information | Company |
| | Name: |
| | Phone Number: |
| | Email Address: |

| Reference No. 3 | |
|--------------------------------------|----------------|
| Description of Contract | |
| Size and Scope | |
| Work Performed | |
| Start Date | |
| End Date | |
| Contract Value | |
| Project completed on budget | |
| Project completed on schedule | |
| Reference Information | Company |
| | Name: |
| | Phone Number: |
| | Email Address: |

| |
|---|
| c) MANUFACTURE AUTHORIZATION - Provide as an attachment a letter from manufacturer that you are an authorized dealer for resale: |
| |

3. SUSTAINABLE BENEFITS AND SOCIAL RESPONSIBILITY

I. Describe all initiatives, policies, programs and product choices that illustrate your firm's efforts towards sustainable practices and environment responsibility in providing the services that would benefit the City

II. What policies does your organization have for hiring apprentices, indigenous peoples, recent immigrants, veterans, young people, women, people with disabilities and any other groups:

III. What policies does your organization have for the procurement of goods and services from local small and medium sized business or social enterprises or Indigenous owned businesses:

IV. What policies does your organization have to support reconciliation with indigenous peoples:

4.

TECHNICAL

a) DEMONSTRATION UNITS - We acknowledge if selected we can make the date as per Key Dates:

Yes

No

b) State lead time if all items ordered at once:

c) Warranty and Repair Service Center - State location of nearest affiliate service facilities with factory authorized technicians located in Metro Vancouver area. Business Name and Location:

I. State the procedure for handling warranty claims:

d) Quality Assurance

I. Provide information on the systems of Quality Control and build specification assurance.

II. Preventative Maintenance – Provide preventative maintenance schedule. Attach if necessary

e) TRAINING AND MANUALS

I. Operators – state duration of training, number of attendees and number of on-site workshops at Coquitlam Works Yard:

| |
|--|
| II. Maintenance – state duration of training, number of attendees, number of workshops and Location |
| |
| III. Training Method – State type of training method used to teach. |
| |
| IV. Manuals (online/web based/DVD/paper manuals) included: <ul style="list-style-type: none"> 1 parts manual 1 repair manual 1 service manual 2 Operator’s manuals State format available: |
| |

5. FINANCIAL

a) PRICE - Prices proposed are to be all inclusive; therefore, include all labour, material, tools, equipment, transportation, fuel, supervision, disposal fees, permit fees and any other items required for provision of the services (exclude GST):

| ITEM | SCOPE OF WORK | Unit of Measure | PRICE (exclude GST) |
|--------------|---------------------|-----------------|---------------------|
| i. | Cutter (2) | Each | \$ |
| ii. | Medium Spreader (2) | Each | \$ |
| iii. | Large Spreader (2) | Each | \$ |
| iv. | Small Ram (2) | Each | \$ |
| v. | Large Ram (2) | Each | \$ |
| vi. | Combi Tool (2) | Each | \$ |
| vii. | Accessories (2) | Each | \$ |
| viii. | Other not listed | State: | |
| Total | | | \$ |

| b) Trade in - Prices offered for trade value | | | |
|---|--|------------------------|-----------------------------|
| ITEM | SCOPE OF WORK | Unit of Measure | Trade in Value Price |
| i. | Holmatro Cutter 4050NCT Core X 2 | 2 | \$ |
| ii. | Holmatro Spreader 4240 Core17C with pulling tips and chains X 2 | 2 | \$ |
| iii. | Holmatro Spreader 4260 Core X 2 | 2 | \$ |
| iv. | Holmatro Ram 4340 Core X 2 | 2 | \$ |
| v. | Holmatro Ram 4350 Core X 2 | 2 | \$ |
| vi. | Holmatro Ram 4322 Core X 2 | 2 | \$ |
| vii. | Holmatro Ram 4332 Core X 2 | 2 | \$ |
| viii. | Holmatro Pump SR40PC2 X2 | 2 | \$ |
| ix. | Genesis Battery Combi E-Force 17C with pulling tips and chains X 2 | 2 | \$ |
| x. | Hose 50' Core Green X 2 | 2 | \$ |
| xi. | Hose 50' Core Blue X 2 | 2 | \$ |
| xii. | Hose 50' Core Black X 2 | 2 | \$ |
| xiii. | Hose 50' Core Orange X 2 | 2 | \$ |
| Total | | | \$ |

Attention Purchasing Manager:

1. **I/We, the undersigned duly authorized representative of the Proponent**, having received and carefully reviewed all of the Proposal documents, including the RFP and any issued addenda posted on the City’s website www.coquitlam.ca/Bid-Opportunities, and having full knowledge of the Site, and having fully informed ourselves as to the intent, difficulties, facilities and local conditions connected to performing the Services; submit this Proposal in response to the RFP.
2. **I/We** agree to the rules of participation outlined in the **Instructions to Proponents** (per section 2 of RFP) and should our Proposal be selected, agree to the City’s **Standard Terms and Conditions - Purchase of Goods and Services** (per Section 2 of RFP) and will accept the City’s Contract as defined within this RFP document.
3. **I/We acknowledge** receipt of the following Addenda related to this Request for Proposals and have incorporated the information received in preparing this Proposal.

| Addendum No. | Date Issued |
|--------------|-------------|
| | |
| | |
| | |

This Proposal is submitted this ___ day of _____, 20____.

I/We have the authority to sign on behalf of the Proponent and have duly read all documents.

| | |
|---|----|
| Legal Name of Company | |
| Signature(s) of Authorized Signatory(ies) | 1. |
| | 2. |
| Print Name(s) and Position(s) of Authorized Signatory(ies) | 1. |
| | 2. |

**APPENDIX A – TECHNICAL SPECIFICATIONS – Supply and Delivery Auto Extrication Equipment
(2 sets)**

It is the intent of these specifications to describe the preferred requirements for the equipment identified in this RFP. Proponents must complete the specification tables by stating the specifications of the proposed equipment and indicating whether the equipment meets the preferred specification.

| Item | Description | Preferred Specification | Proponent Specification (State Value) | Meets Preferred Specification (Yes/No) |
|-------------------------------|--|--|---------------------------------------|--|
| GENERAL SPECIFICATIONS | | | | |
| I. | All Tools | Tools must be battery powered. Preferred to have an auto start/stop function. State: Preferred to be equipped with a temperature management system. State: | | |
| II. | Batteries | State specifications of batteries State option/price of larger capacity batteries (if applicable): | | |
| III. | Dead man /Variable Speed Control Mechanism | State type: | | |
| IV. | Charging | Preferred for the tools to have an on tool charging function. State: | | |

| V. | Charging | Preferred ability to charge the battery on tool and spare battery on the charger simultaneously. State: | | |
|--------------------------|-----------------------------------|--|---------------------------------------|--|
| VI. | Certified Ingress Protection (IP) | Suitable for underwater use. State IP rating: | | |
| Item | Description | Preferred Specification | Proponent Specification (State Value) | Meets Preferred Specification (Yes/No) |
| CUTTERS | | | | |
| I. | Handle Design | Preferred 360 degree ergonomic control handle. State: | | |
| II. | Blade Design | Preferred U-shape blade design. State: | | |
| III. | Blade Type | State blade type: | | |
| IV. | Blade Opening | Minimum opening at blade tips - 7 inches. State: | | |
| V. | Cutting Force | State maximum cutting force: | | |
| VI. | Working Pressure | State maximum working pressure: | | |
| VII. | Weight | State weight including battery: | | |
| VIII. | Dimensions | State dimensions including battery (LxWxH): | | |
| IX. | Sound Emission | State sound emission rating (dBA): | | |
| X. | Lighting | Preferred integrated LED lighting. State: | | |
| SPREADER - MEDIUM | | | | |

| | | | | |
|-------------------------|------------------|--|--|--|
| I. | Handle Design | Preferred 360 degree ergonomic control handle. State: | | |
| II. | Opening Distance | Minimum spreading opening - 27 inches State: | | |
| III. | Spreading Force | State maximum spreading force at the steel tips: | | |
| IV. | Pulling Force | State maximum pulling force at tips: | | |
| V. | Pulling Distance | State pulling distance: | | |
| VI. | Squeezing Force | State maximum squeezing force: | | |
| VII. | Weight | State weight including battery: | | |
| VIII. | Dimensions | State dimensions including battery (LxWxH): | | |
| IX. | Sound Emission | State sound emission rating (dBA): | | |
| X. | Lighting | Preferred integrated LED lighting. State: | | |
| SPREADER - LARGE | | | | |
| I. | Handle Design | Preferred 360 degree ergonomic control handle. State: | | |
| II. | Opening Distance | Minimum spreading opening - 30 inches State: | | |
| III. | Spreading Force | State maximum spreading force at steel tips: | | |
| IV. | Pulling Force | State maximum pulling force: | | |
| V. | Pulling Distance | State pulling distance: | | |
| VI. | Squeezing Force | State maximum squeezing force: | | |

| | | | | |
|-------------------|-----------------------------|--|--|--|
| VII. | Weight | State weight including battery: | | |
| VIII. | Dimensions | State dimensions including battery (LxWx H): | | |
| IX. | Sound Emission | State sound emission rating (dBA): | | |
| X. | Lighting | Preferred integrated LED lighting. State: | | |
| XI. | Accessories | Set of pulling adaptors. Set of pulling chains. | | |
| COMBI TOOL | | | | |
| I. | Handle Design | Preferred 360 degree ergonomic control handle. State: | | |
| II. | I Minimum Spreading Opening | Minimum spreader opening -14.5 in State: | | |
| III. | Minimum Cutting Opening | Minimum cutting opening - 12 in State: | | |
| IV. | Maximum Spreading Force | State maximum spreading force: | | |
| V. | Maximum Pulling Force | State maximum pulling force: | | |
| VI. | Maximum Cutting Force | State maximum cutting force: | | |
| VII. | Maximum Squeezing Force | State maximum squeezing force: | | |
| VIII. | Blade Type | State blade type: | | |
| IX. | Weight | State weight including battery: | | |
| X. | Dimensions | State dimensions including battery (L x W x H): | | |
| XI. | Sound Emission | State sound emission rating (dBA): | | |

| | | | | |
|------------------|-------------------|--|--|--|
| XII. | Lighting | Preferred integrated LED lighting powered from the main battery. State: | | |
| XIII. | Accessories | Set of pulling adaptors. Set of pulling chains. | | |
| RAM-SMALL | | | | |
| I | Handle Design | Ergonomic placement of control handle. State: | | |
| II | Length | Retracted length as short as possible. State length: | | |
| III | Length | Minimum extended length - 30 in. State length: | | |
| IV | Force | State Maximum pushing force first plunger: | | |
| V | Force | State Maximum pushing force second plunger: | | |
| VI | Pressure | State Maximum working pressure: | | |
| VII | Positioning Laser | Preferred Ram head positioning laser. State: | | |
| VIII | Weight | State Weight inclusive of battery: | | |
| IX | Dimensions | State Dimensions inclusive of battery (LxWxH): | | |
| X | Sound Emission | State Sound emission specs: | | |
| XI | Lighting | Preferred integrated LED lighting powered from the main battery. State: | | |
| RAM-LARGE | | | | |

| | | | | |
|--------------------------|-------------------|--|--|--|
| I | Handle Design | Ergonomic placement of control handle. State: | | |
| II | Length | Retracted length as short as possible. State length: | | |
| III | Length | Minimum extended length - 53 in. State length: | | |
| IV | Force | State maximum pushing force first plunger: | | |
| V | Force | State maximum pushing force second plunger: | | |
| VI | Pressure | State maximum working pressure.: | | |
| VII | Positioning Laser | Preferred Ram head positioning laser. State: | | |
| VIII | Weight | State Weight inclusive of battery: | | |
| IX | Dimensions | State Dimensions inclusive of battery (LxWxH): | | |
| X | Sound Emission | State Sound emission specs: | | |
| XI | Lighting | Preferred integrated LED lighting powered from the main battery. State: | | |
| ACCESSORY GENERAL | | | | |
| I | Batteries | 2 batteries for each tool. | | |
| II | Chargers | Capable to be mounted in vehicle. State type: | | |
| III | Tethers | Tethers to charge batteries while attached to tools. | | |

| | | | | |
|------|----------------|---|--|--|
| IV | Ram Extension | Small Ram extension pipe with automatic lock system. State size: | | |
| V | Ram Extension | Large ram extension pipe with automatic lock system. State size: | | |
| VI | Ram Support | Set of 2 cross ram supports. | | |
| VII | Ram Support | Ram support for use on the rocker channel. | | |
| VIII | Vehicle Mounts | -2 vertical ram mounts. -1 vertical small spreader mount. -1 vertical combi tool mount. -1 horizontal cutter mount. -1 horizontal large spreader mount. | | |