

Addendum No. 2

City of Coquitlam **RFP No. 21-018**

IT - Managed Security Services

Issue Date: May 5, 2021 (consists of 2 pages)

Proponents shall note the following amendments to the RFP documents.

REVISIONS

R1 <u>REPLACE</u>

Closing Date and Time, delete Friday May 14, 2021 and replace with Friday May 21, 2021.

QUESTIONS AND CLARIFICATIONS

- Q1) How many hosts are in scope for Vulnerability Management
- A1) Desktops 800, Laptops 300, Tablets, Smartphones, Servers 300, Switches/Routers 200, VoIP sets 800, Cameras, Wi-Fi Access Points, Printers, Meeting room A/V systems, SCADA, Traffic, Irrigation
- Q2) Is email protection in scope for this RFP? If so how many mailboxes do you have?
- A2) Yes, approx. 1950. Eventually moving to O365/M365 tenant and we use IronPorts.
- Q3) Is network protection in scope for this RFP? If so, how many locations, what is your bandwidth between locations and average bandwidth utilization?
- A3) Yes. ~22 buildings on municipal fibre, 1 and 10 Gig links being upgraded to 25 and 40 Gig ones
- Q4) How many endpoints (workstations and servers) are to be protected?
- A4) Desktops 800, Laptops 300, Tablets, Smartphones, Servers 300, Switches/Routers 200, VoIP sets 800, Cameras, Wi-Fi Access Points, Printers, Meeting room A/V systems, SCADA, Traffic, Irrigation, 3.5k live IPs
- Q5) For SIEM what is your current/expected EPS count.
- A5) SIEM EPS = 1.4K 2.1K
- Q6) Any Cloud based applications? O365, M365. How many users for each cloud applications?
- A6) Applications application tracking and recreation management (members of the public thousands) as well as O365, M365 right now a few but eventually ~1200 users

Q7 and A7) For remote locations not accessible from Head Office, how many:

- Locations?
 - A) Yes, <10

IP devices per locations?

A) 1-2 each per location

Q8) and A8) For wireless Penetration Testing:

- How many locations?
 A) Parks ~ 15 + city locations
- A) Parks ~ 15 + city locations
 How many buildings?
 - A) City buildings 22
- How many floors/building?
 - A) Majority are between 1-2 floors / building
- How many SSID's/Building/location?

A) 4

Q9) Are you interested in moving the server environment from on premise to AWS Cloud?

A9) The City is open to moving to AWS

Q10) What Endpoint tool is currently deployed? (EDR – e.g. Carbon Black, Cybereason, Cylance, MS Defender for Endpoint, Crowdstrike).

A10) McAfee Endpoint Security

- Q11) When is current subscription/License/Hardware for McAfee ESM SIEM Expire?
- A11) Mar 2022
- Q12) When does current McAfee IDS/IPS licenses expire?
- A12) Mar 2022
- Q13) When does current Tenable VA Subscription end?
- A13) Jul 2024
- Q14) What firewall vendor is under scope of RFP?
- A14) Forcepoint
- Q15) For PCI Services How many External Devices are required to be scanned?
- A15) What do they mean by external devices?

End of Addendum No. 2

Proponents take into account the content of this Addendum in the preparation and submission of the Proposal which will form part of the Contract and should be acknowledged on the Proposal Submission Form.

Upon submitting a Proposal, Proponents are deemed to have received all addenda that are issued and posted on the City's website and considered the information for inclusion in the Proposal submission.

Issued by:

M. Pain, Purchasing Manager bid@coquitlam.ca