# "Civic Address," Coquitlam, BC - FOURPLEX 1



# **STATISTICS**

<u>Civic Address:</u>

Legal Address:

Current Zoning: RT-1

Proposed Use: Fourplex

Site Area: Existing Lot Area: \_\_\_\_\_m<sup>2</sup>

Dedicated Lot Area: \_\_\_\_\_m<sup>2</sup>

Net Lot Area: \_\_\_\_\_m<sup>2</sup>

	DRAWING LIST - OPTION A
SHEET NUMBER	SHEET NAME
A002	STATISTICS
A100	SITE PLAN
A110	LEVEL 1 PLAN
A120	LEVEL 2 PLAN
A130	ROOF PLAN
A200	ELEVATIONS - OPTION A
A201	ELEVATIONS - OPTION A
A205	SPATIAL SEPARATION CALCULATIONS
A300	SECTIONS
A301	SECTIONS
A500	DETAILS
A600	3D VIEWS - OPTION A
A900	AREA PLANS
Grand total: 13	

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.	Projec FOU
--	---------------

ect: URPLEX 1 Issue Date: (YYYY-MM-DD) Checked: Drawing: Drawn: STATISTICS ---Scale: **Revision Date:** Project Number: 1645 West 5th Avenue 1:1 --Vancouver, BC V6J 1N5

	FLOOR AREA (m2)	)
Unit #	Level	Area
101	LEVEL 1	67.3 m <sup>2</sup>
101	LEVEL 2	68.1 m <sup>2</sup>
101		135.4 m²
102	. LEVEL 1	67.3 m <sup>2</sup>
102	LEVEL 2	68.8 m <sup>2</sup>
102		136.1 m²
103	. LEVEL 1	70.9 m <sup>2</sup>
103	LEVEL 2	73.8 m <sup>2</sup>
103		144.8 m <sup>2</sup>
104	. LEVEL 1	70.9 m <sup>2</sup>
104	· LEVEL 2	73.8 m <sup>2</sup>
104	1	144.8 m <sup>2</sup>
TOTAL	PROPOSED FLOOR AREA:	561.1 m²

	OUTDOOR SPACE ARE	Ā
Unit #	Name	Area
101	BALCONY	6.3 m <sup>2</sup>
101	OUTDOOR PRIVATE SPACE	37.1 m²
101	OUTDOOR PRIVATE SPACE	8.6 m <sup>2</sup>
101: 3		52 m²
	1	
102	BALCONY	6.2 m²
102	OUTDOOR PRIVATE SPACE	11.1 m²
102	OUTDOOR PRIVATE SPACE	26.4 m <sup>2</sup>
102: 3		43.7 m²
103	BALCONY	4 m²
103	OUTDOOR PRIVATE SPACE	34.9 m²
103: 2		38.8 m²
104	BALCONY	4 m²
104	OUTDOOR PRIVATE SPACE	34.9 m <sup>2</sup>
104: 2		38.8 m²

(3) 3D View 1 - Option A

, Coquitlam, BC

## **DEVELOPMENT DATA SUMMARY**

### LOT COVERAGE:

### Maximum Permitted Lot Coverage: 50%

Proposed Lot Coverage: Area Covered by Building:  $m^2$  / Net Lot Area  $m^2 = m^2 (m^2)$ 

### **TOTAL FLOOR AREA:**

<u>FSR:</u> Maximum Permitted: 0.75 x Lot Area = \_\_\_\_ m<sup>2</sup>

Proposed: Floor Area \_\_\_\_\_ m<sup>2</sup> / Existing Lot Area \_\_\_\_m<sup>2</sup> = \_\_\_FSR

### PRIVATE OUTDOOR AMENITY SPACE:

### Minimum Required:

37 m<sup>2</sup> per unit

### **SETBACKS:**

Minimum Required: From Front Property Line = 5.5m From Rear Property Line = 6.0m Interior Side Property Line = 1.2m Exterior Side Property Line = 3.0m

Proposed:

From Front Property Line = 5.5m From Rear Property Line = 6.0m Interior Side Property Line = 1.2m Exterior Side Property Line = n/a

### HEIGHT:

(i) 9.5 metres; or

Lowest of either Natural grade or Finished grade at the building corners: Northwest corner = elevation \_\_\_\_\_ metres Southwest corner = elevation metres Northeast corner = elevation \_\_\_\_ metres Southeast corner = elevation \_\_\_\_\_ metres Sum of all Elevations = Total = elevation \_\_\_\_\_ metres

Garbage and Organic Waste: Minimum Required: Two carts per unit each. Cart measures 0.74 m front to back, 0.58 m side to side, and a height of 1.07 m.

Provided: Garbage room for 2 carts measuring 1.31 m x 0.85 m internal per unit.

Minir Four

Total:

Provided:

### Maximum Permitted:

(ii) 11.0 metres for buildings and structures having a roof slope with a pitch of 3 in 12 or greater for an area of at least 80% of all roof surfaces.

### Proposed Height:

### Divide Total Elevation by 4 = Average Grade = elevation \_\_\_\_\_ metres Top of Roof Peak Elevation =

metres Height = Difference between Average Grade and Roof Peak Elevation = elevation \_\_\_\_ metres

### VEHICLE PARKING:

imum Required: rplex Residential:	2 spaces per dwelling unit, of which a maximum of 100% may be tandem parking spaces
al·	= 8 narking snaces


= 8 parking spaces

8 parking spaces

# **ANKENMAN MARCHAND ARCHITECTS**

DWG. No.

A002



1 <u>SITE PLAN</u> 1:75


# Project: FOURPLEX 1

Issue Da -


Date: (YYYY-MM-DD)	Drawn: -	Checked: -	Drawing: SITE PLAN	International State	ANKENM
on Date:	Project Nur -	nber:	Scale: 1:75		1645 West 5th Avenue Vancouver, BC V6J 1N5

# MAN MARCHAND ARCHITECTS







Υ.	,	
on Date:		Project Number: -
		_



	Sc	ale	e:
	1	:	5







	MATERIAL LEGEND
Number	Material
1	EXPOSED ARCHITECTURAL CAST-IN-PLACE CONCRETE WALL / PEDESTAL / STAIR / RAM
2	INTERLOCKING BLOCK RETAINING WALL, COLOUR: NATURAL STONE GRAY
3	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4'> GRID PATTERN, FINISH: SMOOTH, COLOUR: LIGHT MIST
4	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4' GRID PATTERN, FINISH: SMOOTH, COLOUR: IRON GRAY
5	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4'X GRID PATTERN, FINISH: SMOOTH, COLOUR: ARCTIC WHITE
6	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: CEDARTONE
7	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: BEECH
8	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: EMPIRE GREY
9	BRICK, STACKED BOND, COLOUR: DARK BROWN OR SIMILAR
10	BRICK, STACKED BOND, COLOUR: LIGHT BROWN OR SIMILAR
11	VINYL WINDOWS, FRAME COLOUR: IRON GRAY
12	VINYL GLAZED PATIO/BALCONY DOOR, FRAME COLOUR: IRON GRAY
13	UNIT ENTRANCE DOOR, PREFINISHED ALUMINUM, HIGH EFFICIENCY, DOUBLE GLAZED, MULLION AND DOOR COLOUR: FOREST GREEN
14	UNIT ENTRANCE DOOR, PREFINISHED ALUMINUM, HIGH EFFICIENCY, DOUBLE GLAZED, MULLION AND DOOR COLOUR: IRON GREY
15	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: IRON GRAY
16	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: DARK BROWN OR SIMILAR
17	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: LIGHT BROWN OR SIMILAR
18	RAILING, POWDER COATED ALUMINUM, GLASS PANEL, COLOUR: COLOUR: IRON GRAY BLACK
19	RAILING - ALUMINUM PICKET, COLOUR: IRON GRAY
20	ROOF - ASPHALT SHINGLES, COLOUR: MEDIUM GRAY
21	HARDIE FASCIA, 0.75"x11.25", FINISH: SMOOTH, COLOUR: IRON GRAY




Project:	Issue Date: (YYYY-MM-DD)	Drawn: Checked:	Drawing:	ANKENM
FOURPLEX 1	–		ELEVATIONS - OPTION A	
-	Revision Date:	Project Number:	Scale:	1645 West 5th Avenue
	-	–	1:50	Vancouver, BC_V6J 1N5


Nı	ım	ber

1	EXPOSED ARCHITECTURAL CAST-IN-PLACE CONCRETE WALL / PEDESTAL / STAIR / RAMP
2	INTERLOCKING BLOCK RETAINING WALL, COLOUR: NATURAL STONE GRAY
3	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4'x 8' GRID PATTERN, FINISH: SMOOTH, COLOUR: LIGHT MIST
4	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4'x 8' GRID PATTERN, FINISH: SMOOTH, COLOUR: IRON GRAY
5	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4'x 8' GRID PATTERN, FINISH: SMOOTH, COLOUR: ARCTIC WHITE
6	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: CEDARTONE
7	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: BEECH
8	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: EMPIRE GREY
9	BRICK, STACKED BOND, COLOUR: DARK BROWN OR SIMILAR
10	BRICK, STACKED BOND, COLOUR: LIGHT BROWN OR SIMILAR
11	VINYL WINDOWS, FRAME COLOUR: IRON GRAY
12	VINYL GLAZED PATIO/BALCONY DOOR, FRAME COLOUR: IRON GRAY
13	UNIT ENTRANCE DOOR, PREFINISHED ALUMINUM, HIGH EFFICIENCY, DOUBLE GLAZED, MULLION AND DOOR COLOUR: FOREST GREEN
14	UNIT ENTRANCE DOOR, PREFINISHED ALUMINUM, HIGH EFFICIENCY, DOUBLE GLAZED, MULLION AND DOOR COLOUR: IRON GREY
15	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: IRON GRAY
16	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: DARK BROWN OR SIMILAR
17	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: LIGHT BROWN OR SIMILAR
18	RAILING, POWDER COATED ALUMINUM, GLASS PANEL, COLOUR: COLOUR: IRON GRAY OR BLACK
19	RAILING - ALUMINUM PICKET, COLOUR: IRON GRAY
20	ROOF - ASPHALT SHINGLES, COLOUR: MEDIUM GRAY
21	HARDIE FASCIA, 0.75"x11.25", FINISH: SMOOTH, COLOUR: IRON GRAY

# **IAN MARCHAND ARCHITECTS**

DWG. No. A201





Project: FOURPLEX 1 -

Revisio

-

Date: (YYYY-MM-DD)	Drawn:	Checked:	
	-	-	
ion Date:	Project Nur	nber:	
	-		

SPATIAL SEPARATION CALCULATIONS Scale:


1:75

1645 West 5th Avenue Vancouver, BC V6J 1N5

Ś	B-N		PL-N
<u>388.00'</u> (118.26 m)			
<u>379.00'</u> (115.52 m)			
<u>369.00</u> (112.47 m)			
(112.47 m)   (			

**ANKENMAN MARCHAND ARCHITECTS** 





Project: FOURPLEX 1

lss -

Rev


-

 $1 \frac{\text{WEST N-S SITE SECTION}}{1:50}$ 

ssue Date: (YYYY-MM-DD)	Drawn: -	Checked: -	Drawing: SECTIONS	ANKEN
Revision Date:	Project Num -	ıber:	Scale: 1:50	1645 West 5th Avenue Vancouver, BC V6J 1N5

NMAN MARCHAND ARCHITECTS





Issue D -Revisio -

Project:

FOURPLEX 1

Date: (YYYY-MM-DD)	Drawn:	Checked:	Drawing:
	-	-	SECTIONS
on Date:	Project Nur -	nber:	Scale: 1:50


1645 West 5th Avenue Vancouver, BC V6J 1N5

# **ANKENMAN MARCHAND ARCHITECTS**

DWG. No.

Tel: 604-872-2595 Email: office@amarchitects.com

A301




### Project: FOURPLEX 1

Issue Date: (YYYY-MM-DD) -

**Revision Date:** 

-





Drawn:

Project Number:

-

-

Checked:


-

1645 West 5th Avenue Vancouver, BC V6J 1N5

## Drawing: DETAILS Scale:

As indicated

	MATERIAL LEGEND
Number	Material
1	EXPOSED ARCHITECTURAL CAST-IN-PLACE CONCRETE WALL / PEDESTAL / STAIR / RAMP
2	INTERLOCKING BLOCK RETAINING WALL, COLOUR: NATURAL STONE GRAY
3	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4'x 8' GRID PATTERN, FINISH: SMOOTH, COLOUR: LIGHT MIST
4	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4'x 8' GRID PATTERN, FINISH: SMOOTH, COLOUR: IRON GRAY
5	FIBER CEMENT REVEAL PANEL SYSTEM, REVEAL RECESS TRIM COLOUR TO MATCH, 4'x 8' GRID PATTERN, FINISH: SMOOTH, COLOUR: ARCTIC WHITE
6	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: CEDARTONE
7	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: BEECH
8	FIBER CEMENT LAP SIDING, FINISH: TRUE GRAIN SERIES, COLOUR: EMPIRE GREY
9	BRICK, STACKED BOND, COLOUR: DARK BROWN OR SIMILAR
10	BRICK, STACKED BOND, COLOUR: LIGHT BROWN OR SIMILAR
11	VINYL WINDOWS, FRAME COLOUR: IRON GRAY
12	VINYL GLAZED PATIO/BALCONY DOOR, FRAME COLOUR: IRON GRAY
13	UNIT ENTRANCE DOOR, PREFINISHED ALUMINUM, HIGH EFFICIENCY, DOUBLE GLAZED, MULLION AND DOOR COLOUR: FOREST GREEN
14	UNIT ENTRANCE DOOR, PREFINISHED ALUMINUM, HIGH EFFICIENCY, DOUBLE GLAZED, MULLION AND DOOR COLOUR: IRON GREY
15	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: IRON GRAY
16	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: DARK BROWN OR SIMILAR
17	GARBAGE ROOM DOOR, METAL FRAME LOCKING, COLOUR: LIGHT BROWN OR SIMILAR
18	RAILING, POWDER COATED ALUMINUM, GLASS PANEL, COLOUR: COLOUR: IRON GRAY OR BLACK
19	RAILING - ALUMINUM PICKET, COLOUR: IRON GRAY
20	ROOF - ASPHALT SHINGLES, COLOUR: MEDIUM GRAY
21	HARDIE FASCIA, 0.75"x11.25", FINISH: SMOOTH, COLOUR: IRON GRAY



# **IAN MARCHAND ARCHITECTS**

DWG. No. A500



1 3D View 4



2 3D View 5

-**Revision Date:** -

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

Issue Date: (YYYY-MM-DD)

Checked: Drawn: -

-

-

Project Number:

Drawing:

**3D VIEWS - OPTION A** 

Scale:

1645 West 5th Avenue Vancouver, BC V6J 1N5

# **ANKENMAN MARCHAND ARCHITECTS**

DWG. No.

Tel: 604-872-2595 Email: office@amarchitects.com

A600



Drawing: north **AREA PLANS** --Project Number: Scale: **Revision Date:** 1645 West 5th Avenue 1:100 -Vancouver, BC V6J 1N5


# **ANKENMAN MARCHAND ARCHITECTS**

	FLOOR AREA (m2)	
Unit #	Level	Area
	r	
101	LEVEL 1	67.3 m²
101	· LEVEL 2	68.1 m²
101		135.4 m²
102	. LEVEL 1	67.3 m²
102	. LEVEL 2	68.8 m²
102		136.1 m <sup>2</sup>
103	. LEVEL 1	70.9 m <sup>2</sup>
103	. LEVEL 2	73.8 m <sup>2</sup>
103		144.8 m <sup>2</sup>
104	LEVEL 1	70.9 m <sup>2</sup>
104	LEVEL 2	73.8 m <sup>2</sup>
104	·	144.8 m <sup>2</sup>
TOTAL	PROPOSED FLOOR AREA:	561.1 m²

FLOOR AREA (SF)				
Unit #	Level	Area		
101	. LEVEL 1	725 SF		
101	. LEVEL 2	733 SF		
101: 2		1457 SF		
102	. LEVEL 1	724 SF		
102	· LEVEL 2	741 SF		
102: 2		1465 SF		
103	LEVEL 1	764 SF		
103	LEVEL 2	795 SF		
103: 2		1559 SF		
104	· LEVEL 1	764 SF		
104	. LEVEL 2	795 SF		
104: 2		1559 SF		
TOTAL	PROPOSED FLOOR AREA:	6040 SF		

OUTDOOR SPACE AREA				
Unit #	Name	Area		
101	BALCONY	6.3 m²		
101	OUTDOOR PRIVATE SPACE	37.1 m <sup>2</sup>		
101	OUTDOOR PRIVATE SPACE	8.6 m²		
101: 3		52 m²		
102	BALCONY	6.2 m²		
102	OUTDOOR PRIVATE SPACE	11.1 m <sup>2</sup>		
102	OUTDOOR PRIVATE SPACE	26.4 m <sup>2</sup>		
102: 3		43.7 m²		
103	BALCONY	4 m²		
103	OUTDOOR PRIVATE SPACE	34.9 m²		
103: 2		38.8 m²		
104	BALCONY	4 m²		
104	OUTDOOR PRIVATE SPACE	34.9 m <sup>2</sup>		
104: 2		38.8 m²		







9

### CLIENT: **CITY OF COQUITLAM**

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

10	22.JAN.13	REVISE PER CITY COMMENTS
9	21.DEC.14	REVISE PER CITY COMMENTS
8	21.NOV.29	REVISE PER CITY COMMENTS
7	21.NOV.14	REVISE PER CITY COMMENTS
6	21.SEP.29	REVISE PER CITY COMMENTS
5	21.AUG.03	REVISE PER CITY COMMENTS
4	21.JUN.28	REVISE PER CITY COMMENTS
3	21.JUN.24	REVISE PER CITY COMMENTS
2	21.MAY.06	REVISE PER CITY COMMENTS
1	21.APR.23	<b>REVISE PER CITY COMMENTS</b>
NO.	DATE	REVISION DESCRIPTION

RK

RK

RK

RK

RK


RK


DR.

RK

SEAL:

**FOURPLEX 1** 








### CLIENT: CITY OF COQUITLAM

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

10	22.JAN.13	REVISE PER CITY COMMENTS
9	21.DEC.14	REVISE PER CITY COMMENTS
8	21.NOV.29	REVISE PER CITY COMMENTS
7	21.NOV.14	REVISE PER CITY COMMENTS
6	21.SEP.29	REVISE PER CITY COMMENTS
5	21.AUG.03	REVISE PER CITY COMMENTS
4	21.JUN.28	REVISE PER CITY COMMENTS
3	21.JUN.24	REVISE PER CITY COMMENTS
2	21.MAY.06	REVISE PER CITY COMMENTS
1	21.APR.23	REVISE PER CITY COMMENTS
NO.	DATE	<b>REVISION DESCRIPTION</b>

DR.





FOURPLEX 1

SEAL:


### Drain Gravel

### 1.2m Height Fence

### 1.8m Height Fence

PLANTING	
TYPES	

DRAWING TITLE:




21.APR.08	
1:200	
RK	
RK	
MCY	
MBER:	
	1:200 RK RK




21058-12.ZIP


# PLANT PALETTE FOR FULL SUN AREAS STANDARD TREES



CARPINUS BETULUS 'FASTIGIATA' 10' W x 40' H



QUERCUS ROBUR ALBA 'SKINNY GENES' 10' W x 40' H



FRAXINUS ANGUSTIFOLIA 'RAYWOOD' 25' W x 30' H

# ORNAMENTAL TREES $\bigoplus$




10' W x 15' H



CHIONANTHUS RETUSUS 10' W x 10' H

## PROPOSED SHRUBS & HEDGES




BERBERIS T. 'AUREA NANA' 3' W x 3' H



PHYSOCARPUS 'DART'S GOLD' 4' W x 4' H



EUONYMUS 'COMPACTUS' 5' W x 5' H




5' W x 5' H



3' W x 3' H




6' W x 6' H




HYDRANGEA P. 'LIMELIGHT'

5' W x 5' H



### CLIENT: **CITY OF COQUITLAM**

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.




'CUNNINGHAM'S WHITE' 6' W x 6' H

10	22.JAN.13	REVISE PER CITY COMMI
9	21.DEC.14	REVISE PER CITY COMMI
8	21.NOV.29	REVISE PER CITY COMMI
7	21.NOV.14	REVISE PER CITY COMMI
6	21.SEP.29	REVISE PER CITY COMMI
5	21.AUG.03	REVISE PER CITY COMMI
4	21.JUN.28	REVISE PER CITY COMMI
3	21.JUN.24	REVISE PER CITY COMMI
2	21.MAY.06	REVISE PER CITY COMMI
1	21.APR.23	REVISE PER CITY COMMI
NO	. DATE	REVISION DESCRIF




Suite C100 - 4185 Still Creek Drive Burnaby, British Columbia, V5C 6G9 p: 604 294-0011; f: 604 294-0022



GINKGO BILOBA 'PRINCETON SENTRY' 20' W x 40' H



**PINUS CONTORTA** 10' W x 30' H



PARROTIA PERSICA 'VANESSA' 10' W x 15' H



STYRAX JAPONICUS 20' W x 20' H

FOTHERGILLA 'MOUNT AIRY'



SPIRAEA JAPONICA 'GOLDMOUND'






THUJA'SMARAGD' 2' W x 7' H

4' W x 4' H


# LEGEND Full Sun




# PROPOSED GRASSES/PERENNIALS/GROUNDCOVERS



PENNISETUM 'HAMELN' 2' W x 3' H



2' W x 3' H



SEAL:

HELICTOTRICHON SEMPERVIRENS 2' W x 3' H



PROJECT:

**FOURPLEX 1** 

Shrub, Grass and Perennial Planting - 2-5' Height and Width


RUDBECKIA FULGIDA 'GOLDSTURM' 2' W x 3' H



HEMEROCALLIS 'YELLOWSTONE' 2' W x 2' H



CALAMAGROSTIS 'KARL FOERSTER' 3' W x 4' H





DATE:

**IMPERATA 'RED BARON'** 

HEUCHERA 'BERRY SMOOTHIE'


1' W x 2' H

2' W x 2' H

1' W x 0.5' H



FULL SUN PLANT PALETTE



SCALE: 1:200 DESIGN: CHK'D: MCY DRAWING NUMBER:

PMG PROJECT NUMBER:

21.APR.08


21-058

21058-12.ZIP

# PLANT PALETTE FOR SHADE AREAS STANDARD TREES





PICEA GLAUCA 'PENDULA' 10' W x 30' H



CARPINUS BETULUS 'FASTIGIATA' 10' W x 40' H







10' W x 10' H



10' W x 40' H

PARROTIA PERSICA 'VANESSA' 10' W x 15' H



STYRAX JAPONICUS 20' W x 20' H

## **PROPOSED SHRUBS & HEDGES**



SARCOCOCCA HOOKERIANA 'HUMILIS' 3' W x 2' H



CORNUS KELSYII 3' W x 2' H



SYMPHORICARPOS MOLLIS 4' W x 2' H



ARONIA MELANOCARPA 'AUTUMN MAGIC' 5' W x 6' H



ILEX CRENATA CONVEXA 5' W x 5' H



TAXUS X MEDIA 'HICKSII' 2' W x 6' H



LONICERA PILEATA 6' W x 3' H



POLYSTICHUM MUNITUM 3' W x 2' H




SKIMMIA JAPONICA 3' W x3' H




Suite C100 - 4185 Still Creek Drive Burnaby, British Columbia, V5C 6G9 p: 604 294-0011; f: 604 294-0022

### CLIENT: **CITY OF COQUITLAM**

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.







AMELANCHIER CANADENSIS 15' W x 15' H



×	Full Sun
	Shade
	Hedge Planting - 4-6' Height, 1-3' Width
	Shrub, Grass and Perennial Planting - 2-5' Height
	Groundcover Planting - 1' Height or Lower, Spread



MAHONIA 'COMPACTA' 4' W x 3' H




ESCALLONIA 'NEWPORT DWARF'

ARBUTUS UNEDO 'COMPACTA'

3' W x 3' H

5' W x 6' H





'AUREOLA'

2' W x 1' H



2' W x 1' H



CAREX OSHIMENSIS 'EVERGOLD' 2' W x 1' H



1' W x 1' H

PROJECT:


FOURPLEX 1

SEAL:

t and Width

ading

# PROPOSED GRASSES/PERENNIALS/GROUNDCOVERS








HELLEBORUS X HYBRIDUS

ARCTOSTAPHYLOS UVA URSI 2' W x 1' H



# **PLANT SCHEDULE**

S / O\* C/E/D\*

TREES

D

D

D

D

D

D

D

С

С

D

D

D

A

A.

**BOTANICAL NAME** 

ACER GRISEUM AMELANCHIER CANADENSIS CARPINUS BETULUS 'FASTIG CHIONANTHUS RETUSUS FRAXINUS ANGUSTIFOLIA 'R **GINKGO BILOBA 'PRINCETON** PARROTIA PERSICA 'VANESS PICEA GLAUCA 'PENDULA' PINUS CONTORTA QUERCUS ROBUR ALBA 'SKII STYRAX JAPONICA 'SNOWCO SYRINGA VULGARIS

SHRUBS ARONIA MELANOCARPA 'AU D Ε **ARBUTUS UNEDO 'COMPACT BERBERIS THUNBERGII "AUF** D CEANOTHUS VELUTINUS D CORNUS SERICEA 'KELSEYI' D **ESCALLONIA 'NEWPORT DW/** Ε **EUONYMUS ALATA 'COMPAC** D FOTHERGILLA MAJOR 'MOUN D HYDRANGEA PANICULATA 'L D Ε ILEX CRENATA 'CONVEXA' Ε LONICERA PILEATA MAHONIA AQUIFOLIUM 'COM Ε NANDINA DOMESTICA 'GULF Ε PHYSOCARPUS OPULIFOLIU D POLYSTICHUM MUNITUM Ε **RHODODENDRON 'CUNNING** Ε D ROSA GYMNOCARPA Ε SARCOCOCCA HOOKERIANA SKIMMIA JAPONICA (90% MA Ε SPIRAEA JAPONICA 'GOLDM D SYMPHORICARPOS MOLLIS D TAXUS X MEDIA 'HICKSII' С THUJA OCCIDENTALIS 'SMAF С VACCINIUM OVATUM Ε

\*S / O INDICATES STANDARD OR ORNAMENTAL TREES \*C/E/D INDICATES CONIFEROUS OR EVERGREEN OR DECIDUOUS SPECIES



Suite C100 - 4185 Still Creek Drive Burnaby, British Columbia, V5C 6G9 p: 604 294-0011; f: 604 294-0022

### CLIENT: **CITY OF COQUITLAM**

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

10	22.JAN.13	REVISE PER CITY COMMEN
9	21.DEC.14	REVISE PER CITY COMMEN
8	21.NOV.29	REVISE PER CITY COMMEN
7	21.NOV.14	REVISE PER CITY COMMEN
6	21.SEP.29	REVISE PER CITY COMMEN
5	21.AUG.03	REVISE PER CITY COMMEN
4	21.JUN.28	REVISE PER CITY COMMEN
3	21.JUN.24	REVISE PER CITY COMMEN
2	21.MAY.06	REVISE PER CITY COMMEN
1	21.APR.23	REVISE PER CITY COMMEN
NO.	DATE	REVISION DESCRIP




**FOURPLEX 1** 

SEAL:

PROJECT:

	COMMON NAME	PLANTED SIZE / REMARKS	SPACING
	PAPERBARK MAPLE	5CM CAL; 1.2M STD; B&B	4M O.C.
S	SERVICEBERRY	5CM CAL, 1M STD, B&B	3M O.C.
GIATA'	PYRAMIDAL EUROPEAN HORNBEAM	5CM CAL, 1M STD, B&B	3M O.C.
	FRINGE TREE	6CM CAL, 1.2M STD	3M O.C.
RAYWOOD'	RAYWOOD ASH	5CM CAL; 1.2M STD; B&B	3M O.C.
ON SENTRY'	PRINCETON SENTRY MAIDENHAIR	6CM CAL; 1.2M STD; B&B	4M O.C.
SSA'	VANESSA PERSIAN IRONWOOD	6CM CAL, 1.2M STD	4M O.C.
	WEEPING WHITE SPRUCE	2.5M HT; B&B	2M O.C.
	SHORE PINE	2.5M HT; B&B	4M O.C.
(INNY GENES'	FASTIGIATE ENGLISH OAK	6CM CAL; 1.2M STD; B&B	2M O.C.
CONE'	SNOWCONE SNOWBELL	5CM CAL, 1M STD, B&B	4M O.C.
	COMMON TREE LILAC	5CM CAL, 1M STD, B&B	3M O.C.
JTUMN MAGIC'	AUTUMN MAGIC CHOKEBERRY	#3 POT	1M O.C.
CTA'	COMPACT STRAWBERRY TREE	#3 POT	1M O.C.
JREA NANA"	GOLDEN DWARF BARBERRY	#3 POT	1M O.C.
	SNOWBRUSH	#3 POT	1M O.C.
<b>T</b>	DWARF KELSEY DOGWOOD	#3 POT	600MM O.C.
VARF'	COMPACT ESCALLONIA	#3 POT	900MM O.C.
CTUS'	COMPACT WINGED BURNING BUSH	#3 POT	1M O.C.
JNT AIRY'	MOUNT AIRY FOTHERGILLA	#3 POT	1M O.C.
'LIMELIGHT'	LIMELIGHT HYDRANGEA; LIMEGREEN-PINK	#3 POT	1M O.C.
	JAPANESE HOLLY	#3 POT	900MM O.C.
	PRIVET HONEYSUCKLE	#2 POT	900MM O.C.
MPACTA'	COMPACT OREGON GRAPE	#3 POT	600MM O.C.
F STREAM'	HEAVENLY BAMBOO; DWARF	#2 POT	900MM O.C.
US 'DART'S GOLD'	GOLDEN NINEBARK	#3 POT	900MM O.C.
	SWORD FERN	#2 POT	900MM O.C.
GHAM'S WHITE'	RHODODENDRON; WHITE; L. MAY	#3 POT	1M O.C.
	BALDHIP ROSE	#3 POT	900MM O.C.
IA 'HUMILIS'	SWEETBOX	#2 POT	900MM O.C.
ALE)	JAPANESE SKIMMIA	#2 POT	900MM O.C.
MOUND'	DWARF GOLDMOUND SPIREA	#3 POT	600MM O.C.
S	SNOWBERRY	#3 POT	900MM O.C.
	HICK'S YEW	1.2M HT; B&B	600MM O.C.
ARAGD'	EMERALD GREEN CEDAR	1.5M HT; B&B	450MM O.C.
	EVERGREEN HUCKLEBERRY	#2 POT	600MM O.C.
MENTAL TREES			

## PMG PROJECT NUMBER: 21-058



# GRASSES

D

Ε

D

Е

- CALAMAGROSTIS ACUTIFLO
- CAREX OSHIMENSIS 'EVERG
- HAKONECHLOA MACRA 'AU
- HELICTOTRICHON SEMPER D
  - IMPERATA CYLINDRICA 'REI
- PENNISETUM ALOPECUROI D D
  - STIPA TENUISSIMA

# PERENNIALS

- ASTILLBE ARENDSII D
- **BRUNNERA MACROPHYLLA** Ε
- HELLEBORUS X HYBRIDUS D
- Е HEMEROCALLIS `YELLOWS'
- HEUCHERA 'BERRY SMOOT D
- HOSTA 'AUGUST MOON' D
- RUDBECKIA FULGIDA VAR D
- Е SEDUM 'ANGELINA'

# GROUNDCOVERS Ε

ARCOSTAPHYLOS UVA URS

\*C/E/D INDICATES CONIFEROUS OR EVERGREEN OR DECIDUOUS SPECIES



Suite C100 - 4185 Still Creek Drive Burnaby, British Columbia, V5C 6G9 p: 604 294-0011; f: 604 294-0022



These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

10	22.JAN.13	REVISE PER CITY COMMENTS	RK
9	21.DEC.14	REVISE PER CITY COMMENTS	RK
8	21.NOV.29	REVISE PER CITY COMMENTS	RK
7	21.NOV.14	REVISE PER CITY COMMENTS	RK
6	21.SEP.29	REVISE PER CITY COMMENTS	RK
5	21.AUG.03	REVISE PER CITY COMMENTS	RK
4	21.JUN.28	REVISE PER CITY COMMENTS	RK
3	21.JUN.24	REVISE PER CITY COMMENTS	RK
2	21.MAY.06	REVISE PER CITY COMMENTS	RK
1	21.APR.23	REVISE PER CITY COMMENTS	RK
NO.	DATE	REVISION DESCRIPTION	DR

LORA 'KARL FOERSTER'	FEATHER REED GRASS	#1 POT	450MM O.C.
RGOLD'	EVERGOLD JAPANESE SEDGE	#1 POT	300MM O.C.
AUREOLA'	HAKONE GRASS	#1 POT; 1 EYE	300MM O.C.
RVIRENS	BLUE OAT GRASS	#1 POT	300MM O.C.
RED BARON'	BLOOD GRASS	#1 POT	300MM O.C.
OIDES 'HAMELIN'	DWARF FOUNTAIN GRASS	#1 POT	300MM O.C.
	MEXICAN FEATHER GRASS	#1 POT	300MM O.C.
			300MM O.C.
•	FALSE GOATSBEARD	#1 POT; 1 EYE	
_A	SIBERIAN BUGLOSS	#1 POT; 1 EYE	300MM O.C.
S	HELLEBORE	#1 POT; 1 EYE	300MM O.C.
'STONE'	DAYLILY; LIGHT YELLOW	#2 POT; 2-3 FAN	300MM O.C.
DTHIE'	ROSE PINK HEUCHERA	#1 POT	300MM O.C.
	HOSTA	#1 POT; 1 EYE	300MM O.C.
R SULLIVANTII `GOLDSTURM'	RUDBECKIA; YELLOW	#1 POT	300MM O.C.
	ANGELINA STONECROP	#1 POT	300MM O.C.
RSI	KINNICKINICK	#1 POT; 1 EYE	300MM O.C.
EVERGREEN OR DECIDUOUS	SPECIES		




**FOURPLEX 1** 

PROJECT:

SEAL:

21058-12.ZIP DRAWING TITLE: DATE: 21.APR.08 SCALE: NTS DRAWN DESIGN: GRASSES, PERENNIALS & GROUNDCOVERS CHK'D: MCY DRAWING NUMBER: -0

PMG PROJECT NUMBER:






FOURPLEX 1




guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

10	22.JAN.13	REVISE PER CITY COMMENTS	RK
9	21.DEC.14	REVISE PER CITY COMMENTS	RK
8	21.NOV.29	REVISE PER CITY COMMENTS	RK
7	21.NOV.14	REVISE PER CITY COMMENTS	RK
6	21.SEP.29	REVISE PER CITY COMMENTS	RK
5	21.AUG.03	REVISE PER CITY COMMENTS	RK
4	21.JUN.28	REVISE PER CITY COMMENTS	RK
3	21.JUN.24	REVISE PER CITY COMMENTS	RK
2	21.MAY.06	REVISE PER CITY COMMENTS	RK
1	21.APR.23	REVISE PER CITY COMMENTS	RK
NO.	DATE	REVISION DESCRIPTION	DF



21058-12.ZIP

	_					
ŬÇ					QQ	
_		_	-			
_		_	-	_		






### CLIENT: **CITY OF COQUITLAM**

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

10	22.JAN.13	REVISE PER CITY COI
9	21.DEC.14	REVISE PER CITY CON
8	21.NOV.29	REVISE PER CITY CON
7	21.NOV.14	REVISE PER CITY CON
6	21.SEP.29	REVISE PER CITY CON
5	21.AUG.03	REVISE PER CITY CON
4	21.JUN.28	REVISE PER CITY CON
3	21.JUN.24	REVISE PER CITY CON
2	21.MAY.06	REVISE PER CITY CON
1	21.APR.23	REVISE PER CITY COM
NO.	DATE	REVISION DESC





RK RK RK RK RK RK MENTS MENTS MENTS MENTS RK VENTS VENTS VENTS RK RK RK IPTION DR.


FOURPLEX 1

PROJECT:

SEAL:

1. ALL WOOD MEMBERS TO BE PRESSURE TREATED TO C.S.A. STANDARDS APPLY TWO COATS OF STAIN TO MATCH BUILDING (TO BE APPROVED BY OWNER OR LANDSCAPE ARCHITECT) COAT ALL CUT SURFACES WITH SIMILAR PRESERVATIVE AS ABOVE

TING	END ELEVATION	
KER		



### 1.1 SCOPE OF WORK

- 1.1.
- Finish Grading and Landscape Drainage. 1.2.
- Supply and placement of growing medium. 1.3.
- 1.4. Preparation of planting beds, supply of plant material and planting.
- 1.5. Preparation of lawn areas, supply of materials and sodding.
- 1.6. Supply and placement of bark mulch.

TABLE ONE: PROPERTIES OF GROWING MEDIUM FOR LEVEL 2 GROOMED AREAS Canadian System of Soil Classification Textural Class: "Loamy Sand" to "Sandy Loam".

Applications	Planting Areas and Planters
Growing Medium Types	2P
Texture Percent O	f Dry Weight of Total Growing Medium
Coarse Gravel: larger than 25mm	0 - 1%
All Gravel: larger than 2mm	0 - 5%
Percent Of Dry Weigh	t of Growing Medium Excluding Gravel
Sand: larger than 0.05mm smaller than 2.0mm	40 - 80%
Silt: larger than 0.002mm smaller than 0.05mm	10 - 25%
Clay: smaller than 0.002mm	0 - 25%
Clay and Silt Combined	maximum 35%
Organic Content (coast):	10 - 20%
Organic Content (interior):	15 - 20%
Acidity (pH):	4.5 - 6.5

### **1.3 RETENTION OF EXISTING TREES**

- 1.4 GRADES

1.5 LAWN AREAS - SODDING



p: 604 294-0011; f: 604 294-0022

### CLIENT: **CITY OF COQUITLAM**

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

10	22.JAN.13	REVISE PER CITY COMMEN
9	21.DEC.14	REVISE PER CITY COMME
8	21.NOV.29	REVISE PER CITY COMME
7	21.NOV.14	REVISE PER CITY COMME
6	21.SEP.29	REVISE PER CITY COMMEN
5	21.AUG.03	REVISE PER CITY COMMEN
4	21.JUN.28	REVISE PER CITY COMME
3	21.JUN.24	REVISE PER CITY COMMEN
2	21.MAY.06	REVISE PER CITY COMMEN
1	21.APR.23	REVISE PER CITY COMME
NO	. DATE	REVISION DESCRIP

1. Work includes supply of all related items and performing all operations necessary to complete the work in accordance with the drawings and specifications and generally consists of the following:

Retention of Existing Trees where shown on drawings.

1.2 Growing Medium: Conform to Canadian Landscape Standard for definitions of imported and on-site topsoil.

.1 Prior to any work on site - protect individual trees or plant groupings indicated as retained on landscape plans as vegetation retention areas. .2 A physical barrier must be installed to delineate clearing boundaries. Refer to physical barrier detail. If detail not provided, comply with local municipal requirements. .3 No machine travel, storage, or parking within vegetation retention areas or under crowns of trees to be retained is allowed. .4 No excavations, drain or service trenches nor any other disruption shall be permitted within vegetation retention areas. .5 Do not cut branches or roots of retained trees if possible, any pruning of the branches and/or roots of retained trees should be done in accordance to arboricultural best management practices .

.1 Eliminate standing water from all finished grades. Provide a smooth, firm and even surface in paved areas.

.1 Specified Turfgrass for sod lawn areas includes Kentucky Blue for sun and Fescues for shade.


.2 Sodding: Prepare a smooth, firm, even surface for laying sod. Lay sod staggered with sections closely butted, without overlapping or gaps, smooth and even with adjoining areas and roll lightly. Water to obtain moisture penetration of 3" to 4" (7 - 10cm).



PROJECT:

FOURPLEX 1

SEAL:



## **1.6 PLANTS AND PLANTING**

- .1 Conform to planting layout as shown on Landscape Plans.
- .2 Make edge of beds with smooth clean defined lines.
- .3 Standards:
- .4 Plant Species & Location:
  - above grade.
- .5 Excavation:
  - the original grade the tree was grown at.
- .6 Drainage of Planting Holes:
- Planting and Fertilizing Procedures:
  - three rows of wire.
- .8 Staking of Trees if Necessary:

  - .8.2 Leave the tree carefully vertical.

  - .8.4
- .9 Pruning:
  - Follow arboricultural best management practices.
- .10 Mulching:

.10.1 Mulch all planting areas with an even layer of mulch to 2-1/2 - 3" (65 - 75mm) depth. Confirm placement of mulch in areas labeled "Groundcover Area" on drawings. Mulch a 3 ft. (900mm) diameter circle around trees in lawn areas, leave a clean edge. Pull mulch away from base of tree trunk.

**1.7 ESTABLISHMENT MAINTENANCE** 



### CLIENT: **CITY OF COQUITLAM**

These plans are provided "as is" without any guarantee, representation or warranty of any kind, whether express, implied or statutory, and will require modification for use on a particular site. The City of Coquitlam (the "City") assumes no liability whatsoever with respect to your use of these plans or any errors or omissions herein. Any reliance on the accuracy, suitability, currency or completeness of the information contained in the plans is entirely at your own risk. These plans are the property of the City and may not be used, copied, reproduced or distributed in any way or for any purpose other than in connection with a City development application.

10	22.JAN.13	REVISE PER CITY COMME
9	21.DEC.14	REVISE PER CITY COMME
8	21.NOV.29	REVISE PER CITY COMME
7	21.NOV.14	REVISE PER CITY COMME
6	21.SEP.29	REVISE PER CITY COMME
5	21.AUG.03	REVISE PER CITY COMME
4	21.JUN.28	REVISE PER CITY COMME
3	21.JUN.24	REVISE PER CITY COMME
2	21.MAY.06	REVISE PER CITY COMME
1	21.APR.23	REVISE PER CITY COMME
NO	. DATE	REVISION DESCRIP

.1 Refer to Plant Schedule for specific plant and container sizes and comply with requirements. .2 Plant material obtained from areas with less severe climatic conditions shall be grown to withstand the site climate.

.4.1 Plants shall be true to name and of the height, caliper and size of root ball as shown on the landscape/site plan plant schedule. Caliper of trees is to be taken 6" (15cm)

.4.2 Plant all specified species in the location as shown on the landscape drawings.

.5.1 Trees and large shrubs: Excavate a saucer shaped tree pit to the depth of the rootball and to at least twice the width of the rootball. Assure that finished grade is at

.6.1 Provide drainage of planting pits where required. ie. on sloped conditions, break out the side of the planting pit to allow drainage down slope; and in flat conditions, mound to raise the rootball above impervious layer.

.7.1 Plant all trees and shrubs with the roots placed in their natural growing position. If burlapped, loosen around the top of the ball and cut away or fold under. Do not pull burlap from under the ball. Carefully remove containers without injuring the rootballs. After settled in place, cut twine. For wire baskets, clip and remove top

.7.2 Fill the planting holes by gently firming the growing medium around the root system in 6" (15cm) layers. Settle the soil with water. Add soil as required to meet finish grade. Leave no air voids. When 2/3 of the topsoil has been placed, apply fertilizer as recommended by the required soil test at the specified rates. .7.3 Where planting is indicated adjacent to existing trees, use special care to avoid disturbance of the root system or natural grades of such trees. .7.4 Where trees are in lawn areas, provide a clean cut mulched 900mm (3 ft.) diameter circle centered on the tree.

.8.1 Use two 2"x2"x5' stakes, unless superseded by municipal requirements. Set stakes minimum 2 ft. in soil. Do not drive stake through rootball.

.8.3 Tie with pre-approved commercial, flat woven polypropylene fabric belt, minimum width 19mm (3/4"). Approved product: ArborTie - available from DeepRoot. Coniferous Trees over 6 ft. height: Guy with three 2-strand wires (11 gauge). Drive three stakes equidistant around the tree completely below grade.

.9.1 Limit pruning to the minimum necessary to remove dead or injured branches. Preserve the natural character of the plants, do not cut the leader. Use only clean, sharp tools. Make all cuts clean and cut to the branch collar leaving no stubs. Shape affected areas so as not to retain water. Remove damaged material.

.1 Required maintenance of the landscape includes watering, weeding, mowing, leaf removal and fertilization.

PROJECT

FOURPLEX 1

SEAL:

DRAWING TITLE DATE: 21.APR.08 SCALE: LANDSCAPE CHK'D: **SPECIFICATIONS** RAWING NUMBER

21058-10.ZIP